

RECEIVED
CENTRAL FAX CENTER
APR 09 2007

In the claims:

For the Examiner's convenience, all pending claims are presented below with changes shown. Please cancel claims 5, 6 and 17 without prejudice

1. (Currently Amended) A handheld computing device comprising:
a housing;
a display mounted on the housing; and
an antenna located on a top glass layer of the display; and
an amplification circuit, coupled to the antenna, mounted on the display.
2. (Original) The device of claim 1 wherein the antenna is etched on the display.
3. (Original) The device of claim 1 wherein the antenna is sputter etched on the display.
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Currently Amended) The device of claim 1 6 wherein the amplification circuit is mounted on the display using chip on glass technology.
8. (Original) The device of claim 1 wherein the antenna is a center-fed dipole antenna.
9. (Original) The device of claim 1 wherein the antenna is an end-fed dipole

antenna.

10. (Original) The device of claim 1 wherein the handheld computing device is a personal computer (PC) tablet.

11. (Original) The device of claim 1 wherein the handheld computing device is a personal digital assistant (PDA).

12. (Currently Amended) A method comprising;
mounting an antenna on a top glass layer of a display of a computing apparatus;
and
mounting the amplification circuit on the display.

13. (Original) The method of claim 12 wherein mounting the antenna further comprises etching the antenna on the display.

14. (Cancelled)

15. (Cancelled)

16. (Currently Amended) The method of claim 1 further comprising coupling an the amplification circuit to the antenna.

17. (Cancelled)

18. (Currently Amended) The method of claim 12 ~~17~~ wherein the amplification circuit is mounted on the display using chip on glass technology.

19. (Original) The method of claim 12 wherein the computing apparatus is a

personal computer (PC) tablet.

20. (Original) The method of claim 12 wherein the computing apparatus is a personal digital assistant (PDA).

21. (Currently Amended) A handheld computing device comprising:
a display;
a radio frequency (RF) transceiver mounted on the display; ~~and~~
an antenna, coupled to the RF transceiver, mounted on a top glass layer of the display; and
an amplification circuit, coupled to the antenna, mounted on the display.

22. (Original) The device of claim 21 further comprising a network controller coupled to the RF transceiver.

23. (Original) The device of claim 22 wherein the network controller further comprises:

media access layer (MAC) digital signal processor (DSP); and
a baseband DSP coupled to the MAC DSP.

24. (Previously Presented) The device of claim 23 wherein the baseband DSP comprises:

a baseband state machine;
a coding element coupled to the baseband state machine; and
a modulation element coupled to the coding element.

25. (Original) The device of claim 24 wherein the baseband DSP further

comprises:

a digital to analog converter (DAC) DSP coupled to the baseband DSP; and
an analog to digital converter (ADC) DSP coupled to the baseband DSP.

26. (Original) The device of claim 21 wherein the handheld computing device is a personal computer (PC) tablet.

27. (Original) The device of claim 21 wherein the handheld computing device is a personal digital assistant (PDA).